


APPLEBY



**INSTALLATION &
DRY LINING BOXES**

WHERE SAFE CONNECTIONS BEGIN.



CONTENTS

| | |
|-----------------------------|---|
| Flush Steel Boxes | 2 |
| Dry Lining Boxes | 5 |
| Technical Data & Dimensions | 5 |

INSTALLATION BOXES



SB623



SB618



SB676



SB633



9258GV

FLUSH STEEL BOXES

BS 4662 where applicable

| 1 GANG | | Box Qty | List No. |
|--------|--|---------|----------|
| 16mm | 1 x adjustable lug, 1 fixed lug with smooth cable entry hole and knockouts | 20 | SB623 |
| 25mm | 1 x adjustable lug, 3 fixed lugs with 12 x 20mm knockouts | 100 | SB655 |
| 28mm | Architrave box fixed lugs, with 2 x 16mm knockouts | 10 | 9257/GV |
| 35mm | 1 x adjustable lug, 3 fixed lugs with 12 x 20mm knockouts | 100 | SB615 |
| 47mm | 1 x adjustable lug, 3 fixed lugs with 1 x 25mm knockout | 50 | SB618 |

Dimension

16mm 70mm x 70mm x 16mm

25mm 68.3mm x 68.3mm x 25mm

28mm Architrave 26.5mm x 73mm x 28mm

35mm 68.3mm x 68.3mm x 35mm

47mm 68.3mm x 68.3mm x 47mm

For detailed dimensions see page 7

FLUSH STEEL BOXES

BS 4662 where applicable

| 2 GANG | | Box Qty | List No. |
|--------|---|---------|----------|
| 16mm | 1 x adjustable lug, 1 fixed lug with knockouts for grommet entry | 20 | SB633 |
| 25mm | 1 x adjustable lug, 1 x fixed lug with 16 x 20mm knockouts | 50 | SB665 |
| 25mm | Dual box, fixed lugs, for two 1 gang size accessories with 16 x 20mm knockouts | 5 | SB676 |
| 28mm | Architrave box fixed lugs, with 16mm knockouts | 5 | 9258/GV |
| 35mm | 1 x adjustable lug, 1 x fixed lug with 16 x 20mm knockouts | 50 | SB625 |
| 35mm | Dual box, fixed lugs, for two 1 gang size accessories with 16 x 20mm knockouts | 40 | SB636 |
| 47mm | 1 x adjustable lug, 1 x fixed lug with 4 x 20/25mm 6 x 25mm 10 x 20mm knockouts | 40 | SB628 |

Dimension

16mm 130mm x 70mm x 16mm

25mm 129mm x 68.3mm x 25mm

28mm Architrave 27.5mm x 133mm x 28mm

25mm Dual Box 154mm x 68.3mm x 25mm

35mm 129mm x 68.3mm x 35mm

35mm Dual Box 154mm x 68.3mm x 35mm

47mm 129mm x 68.3mm x 47mm

For detailed dimensions see page 7



SB646

3 GANG


| | | Box Qty | List No. |
|------|---|---------|----------|
| 35mm | 3 gang, fixed lugs, 18 x 20mm knockouts | 5 | SB646 |

Dimension

35mm 189mm x 68.3mm x 35mm

INSTALLATION BOXES

NO IMAGE AVAILABLE



FLUSH STEEL BOX ACCESSORIES

| | Box Qty | List No. |
|---|---------|----------|
| Box fixing flanges for dry partition walls | 10 | SB603 |
| Connections for coupling 25mm or 35mm fixed lug boxes | 100 | SB604 |

Dimension

SB604 17mm x 59mm x 36mm

Note: SB604 can be used to mount boxes for use with dual mounting of Volex raised and flatplate metal accessories as well as white moulded

STEEL BOX EXTENSIONS

| | Box Qty | List No. |
|------------------|---------|----------|
| 16mm deep 1 gang | 20 | SB677 |
| 16mm deep 2 gang | 10 | SB678 |
| 25mm deep 1 gang | 1 | SB679 |
| 25mm deep 2 gang | 50 | SB680 |
| 35mm deep 1 gang | 100 | SB681 |
| 35mm deep 2 gang | 50 | SB682 |

For detailed dimensions see page 7

SELECTION CHART

| | 16mm | 25mm | 35mm | 47mm | 56mm |
|------------------------------|-------|----------|-------|-------|--------|
| Metal Boxes | | | | | |
| 1 Gang | SB623 | SB655 | SB615 | SB618 | - |
| 1 Gang Architrave | - | 9257 | - | - | - |
| 2 Gang | SB633 | SB665 | SB625 | SB628 | - |
| 2 Gang Architrave | - | 9258/GGV | - | - | - |
| 2 Gang Dual Box (2 x 1 Gang) | - | SB676 | SB636 | - | - |
| 3 Gang | - | - | SB646 | - | - |
| Lounge Plate Box | - | - | SB695 | - | SB1590 |
| MI Circular Terminal Box | SB641 | - | - | - | - |
| MI Circular Through Box | SB642 | - | - | - | - |
| Dry Lining Box | | | | | |
| 1 Gang | - | - | SB619 | SB632 | - |
| 2 Gang | - | - | SB629 | SB631 | - |
| Dual Box | - | - | SB637 | - | - |
| 1 + 2 Gang | - | - | SB638 | - | - |
| Circular Dry Lining | - | - | SB639 | - | - |
| Extension Boxes | | | | | |
| 1 Gang | SB677 | SB679 | SB681 | - | - |
| 2 Gang | SB678 | SB680 | SB682 | - | - |

INSTALLATION BOXES



SB695



SB681



SB682

LOUNGE PLATE FLUSH BOXES

| | | Box Qty | List No. |
|-------------|---|---------|---------------|
| 35mm | Box to fit Volex Lounge Plates VX1590PS, VX1590SS, VX1590WH 12 x 20mm knockouts | 1 | SB695 |
| 56mm | 1 x adjustable lug, 3 fixed lug with 12 x 20mm knockouts | 1 | SB1590 |

Dimension

35mm 253mm x 194mm x 35mm

56mm 253mm x 194mm x 56mm

For detailed dimensions see page 7

SHIELD ACCESSORY



SSD170



SSD270

| | | Box Qty | List No. |
|--------|------------------------------------|---------|---------------|
| 1 Gang | 30mm Depth Safety Shield Accessory | 100 | SSD170 |
| 2 Gang | 30mm Depth Safety Shield Accessory | 100 | SSD270 |

BS LOOP IN AND JUNCTION BOXES

| | Box Qty | List No. |
|--|---------|--------------|
| 16mm deep x 50.8 dia terminal pattern circular junction box | 20 | SB641 |
| 16mm deep x 50.8mm dia through pattern circular junction box | 20 | SB642 |

DRY LINING BOXES



DRY LINING BOXES

| 1 GANG | | Box Qty | List No. |
|---------------|-----------------|------------|--------------|
| 35mm | Adjustable lugs | 200 | SB619 |
| 47mm | Adjustable lugs | 200 | SB632 |

Dimension

35mm 83mm x 83mm x 36mm

47mm 83mm x 83mm x 48mm

Cut-out dimensions 73mm x 73mm

| 2 GANG | | Box Qty | List No. |
|---------------|---|------------|--------------|
| 35mm | Adjustable lugs | 100 | SB629 |
| 35mm | Dual box, for two 1 gang size accessories | 100 | SB637 |
| 47mm | Adjustable lugs | 100 | SB631 |

Dimension

35mm 143mm x 83mm x 36mm

Dual 168mm x 83mm x 36mm

47mm 143mm x 83mm x 48mm

Cut-out dimensions 2 Gang 133mm x 73mm

Cut-out dimensions Dual 158mm x 73mm

| 1 + 2 GANG | | Box Qty | List No. |
|-------------------|--|-----------|--------------|
| 35mm | Dual box for a 1 gang + 2 gang accessory | 50 | SB638 |

Dimension

236mm x 83mm x 36mm

Cut-out dimensions 218mm x 73mm

Board thicknesses from 6.35 up to 15mm.

For detailed dimensions see page 7

- Large flange around front prevents slipping into cavity and matches profile of accessory front plate.
- Manufactured from flame retardant thermoplastic.
- Tough yellow nylon lugs have large bearing faces for superior strength.
- 2 side knockout cable entries plus one 25mm base knockout.
- Brass earth terminal available.
- For Acoustic or Fire rated solutions please contact Technical Services.

CIRCULAR DRY LINING BOXES

| 1 GANG | | Box Qty | List No. |
|---------------|---------------------------|------------|--------------|
| 35mm | 1 Gang 2 x 20mm knockouts | 200 | SB639 |

Dimension

80mm diameter

Cut-out dimensions 63mm diameter

Board thicknesses from 6.35 up to 15mm.

For detailed dimensions see page 8


- Large flange around front prevents slipping into cavity and matches profile of accessory front plate.
- Manufactured from flame retardant thermoplastic.
- Tough yellow nylon lugs have large bearing faces for superior strength.
- 2 side knockout cable entries plus one 25mm base knockout.
- Brass earth terminal available.
- For Acoustic or Fire rated solutions please contact Technical Services.

DRY LINING ACCESSORIES


| | Box Qty | List No. |
|--|-----------|--------------|
| Brass earth terminal | 10 | SB/BT |
| Packing piece for fitting to partitions below 6.35mm | 10 | SB/LX |

APPROXIMATE DIMENSIONS (mm)


APPELBY FLUSH STEEL BOXES




| 1 GANG | A | B | C | D | List No. |
|--------|------|------|----|----|--------------|
| | 70 | 70 | 16 | 20 | SB623 |
| | 68.3 | 68.3 | 25 | 20 | SB655 |
| | 26.5 | 73 | 28 | 16 | 9257 |
| | 68.3 | 68.3 | 35 | 20 | SB615 |
| | 68.3 | 68.3 | 47 | 25 | SB618 |



| 2 GANG | A | B | C | D | List No. |
|--------|------|------|----|----|----------------|
| | 130 | 70 | 16 | 20 | SB633 |
| | 129 | 68.3 | 25 | 20 | SB665 |
| | 154 | 68.3 | 25 | 20 | SB676 |
| | 129 | 68.3 | 35 | 20 | SB625 |
| | 154 | 68.3 | 35 | 20 | SB636 |
| | 129 | 68.3 | 47 | 25 | SB628 |
| | 27.5 | 133 | 28 | 16 | 9258/GV |
| | 189 | 68.3 | 35 | 20 | SB646 |




| EXTENSION BOXES | A | B | C | List No. |
|-----------------|------|------|----|--------------|
| | 70 | 70 | 16 | SB677 |
| | 130 | 70 | 16 | SB678 |
| | 68.3 | 68.3 | 25 | SB679 |
| | 129 | 68.3 | 25 | SB680 |
| | 68.3 | 68.3 | 35 | SB681 |
| | 129 | 68.3 | 35 | SB682 |




| LOUNGE BOXES | A | B | C | D | E | F | List No. |
|--------------|-----|-----|----|----|-----|-----|---------------|
| | 253 | 194 | 35 | 20 | 141 | 108 | SB695 |
| | 253 | 194 | 56 | 20 | 141 | 108 | SB1590 |

APPROXIMATE DIMENSIONS (mm)

APPELBY DRY LINING BOXES



| A | B | C | D | E | min F | max F | G | List No. |
|-----|----|----|-----|-----|-------|-------|-----|--------------|
| 73 | 73 | 36 | 60 | 6.7 | 6.35 | 15 | 83 | SB619 |
| 73 | 73 | 48 | 60 | 6.7 | 6.35 | 15 | 83 | SB632 |
| 133 | 73 | 36 | 130 | 6.7 | 6.35 | 15 | 143 | SB629 |
| 158 | 73 | 36 | 130 | 6.7 | 6.35 | 15 | 168 | SB637 |
| 133 | 73 | 48 | 155 | 6.7 | 6.35 | 15 | 143 | SB631 |
| 218 | 73 | 36 | 206 | 6.7 | 6.35 | 15 | 228 | SB638 |



APPELBY CIRCULAR DRY LINING BOXES

| A | B | C | D | min E | max E | List No. |
|----|------|----|----|-------|-------|--------------|
| 80 | 57.5 | 36 | 20 | 7 | 22 | SB639 |

APPELBY DRY LINING BOXES

| LIST No | Oval | 13mm | 16mm | 20mm | 25mm | Total |
|----------------|------|------|------|------|------|-------|
| SB623 | 4 | - | - | - | - | 4 |
| SB655 | - | - | - | 12 | - | 12 |
| 9257 | - | - | 2 | - | - | 2 |
| SB615 | - | - | - | 12 | - | 12 |
| SB618 | - | - | - | 10 | - | 12 |
| SB633 | 7 | - | - | - | - | 13 |
| SB665 | - | - | - | 16 | - | 16 |
| SB676 | - | - | - | 16 | - | 16 |
| 9258/GV | - | - | 2 | 2 | - | 4 |
| SB625 | - | - | - | 16 | - | 16 |
| SB636 | - | - | - | 16 | - | 16 |
| SB628 | - | - | - | 16 | 6 | 22 |
| SB646 | - | - | - | 18 | - | 18 |
| SB695 | - | - | - | 12 | - | 12 |
| SB1590 | - | - | - | 10 | - | 10 |

KNOCKOUT POSITION

| LIST No | Left Side | Right Side | Down Side | Top Side | Back Side | Total |
|----------------|-----------|------------|-----------|----------|-----------|-------|
| SB623 | - | - | 2 | - | 2 | 4 |
| SB655 | 2 | 2 | 2 | 2 | 4 | 12 |
| 9257 | - | - | - | 1 | 1 | 2 |
| SB615 | 2 | 2 | 2 | 2 | 4 | 12 |
| SB618 | 2 | 2 | 2 | 2 | 4 | 12 |
| SB633 | 1 | 1 | 5 | 2 | 4 | 13 |
| SB665 | 2 | 2 | 4 | 4 | 4 | 16 |
| SB676 | 2 | 2 | 4 | 4 | 4 | 16 |
| 9258/GV | - | - | 1 | 1 | 2 | 4 |
| SB625 | 2 | 2 | 4 | 4 | 4 | 16 |
| SB636 | 2 | 2 | 4 | 4 | 4 | 16 |
| SB628 | 2 | 2 | 4 | 4 | 4 | 16 |
| SB646 | 2 | 2 | 5 | 5 | 4 | 18 |
| SB695 | 3 | 3 | 3 | 3 | - | 12 |
| SB1590 | 2 | 2 | 3 | 3 | - | 10 |



APPLEBY

WHERE SAFE CONNECTIONS BEGIN.

**ORIGINAL PRODUCT
ORIGINAL QUALITY**

Distributed by:
Unelex Limited
Suite 117B, Building A, 25 Goodlass Road, Speke, Liverpool

Tel: 0151 665 0860
Email sales@appleby-sales.co.uk